

Macro `ACDEF(anlid,icond) ID(c) LIMITS(x1,x2(,y1,y2))`

PURPOSE Define name and/or limits of analyzer condition

PARAMETERS

ANLID Name of analyzer.
ICOND Condition number.
ID Name of condition.
LIMITS For 1-dim. analyzers: lower and upper limit of condition
For 2-dim. analyzers: lower and upper limits of condition in both dimensions

FUNCTION If ID(c) is specified: Define a name for the analyzer condition.
If LIMITS are specified: Set limits of analyzer condition.

REMARK For 2-dimensionsal analyzers, only rectangular conditions are supported. Use the command W2SET to define polygone conditions.

EXAMPLES `ACDEF(TOF,1) LIMITS(30,430);`

`ACDEF(TOF,1) ID(ELASTIC);`

`DO I = 1 TO 5;`
`ACDEF(M(I),1) LIMITS(300,435);`
`END;`

`ACDEF(M(3)) LIMITS(490,987);`

`DO I = 1 TO 3;`
`ACDEF(TOF,I) LIMITS(100*(I-1),100*(I-1)+99);`
`END;`

DECLARATION This macro may only be used in the analysis program. It is declared by
`%INCLUDE '\FRSTOOLS\TRI\SATAN\SMACROS.PLI';`